



G A R L W A Y M A C H I N E R Y

GARLWAY MACHINERY

> > >

2014

10

60,000

3

300

2,000

Garl way

Machinery



: GJYJ 1.5T



2

| | | | | | |
|--|----|----|----|-----|-----|
| | | | | | |
| | 2 | | | | |
| | 1 | 65 | | | |
| | | | | | |
| | JK | JM | JM | JKL | JKD |
| | | | | | |
| | | | | | |

: GJYJ5T



| | |
|--|---|
| | |
| | 50 kN |
| | 6 × 19 19.5 20mm |
| | 325mm 620 700mm |
| | 150 - 200m |
| | Y160L - 6 |
| | 11 kW |
| | 960 r / |
| | 9 m / |
| | About 1420 × 1110 × 800mm - 1550 × 1160 × 800mm |
| | 800 kg |

: GJYJ0.5T



OEM

| | |
|--|---------------------|
| | |
| | |
| | |
| | 1 |
| | AC 100-240V/50/60Hz |
| | OEM |
| | |

1 2 0 V

: G J Y J 3 T



3 T

| | | | | | |
|--|------|-----|-----|-------|-------|
| | | | | | |
| | | 3 T | | | |
| | / | | | | |
| | 1 65 | | | | |
| | | | | | |
| | J K | J M | J M | J K L | J K D |
| | | | | | |

1

: GJYJ 1T



1

18000

: GJYJ10T



18000

| | |
|--|--------------------------|
| | |
| | 100kN 10 |
| | 28mm |
| | 530mm |
| | 1000mm |
| | 350 |
| | : 8m/min : 30m/min |
| | 30kW |
| | 2010mm x 1950mm x 1100mm |
| | 5000kg |

12000

: GJYJ6T



12000 lb

60k N

| | |
|--|-----------------|
| | |
| | 60k N |
| | 22.5 |
| | 380mm 740mm |
| | 200m |
| | YZR160L-6 |
| | 15kW |
| | 960r / |
| | 25m/ |
| | 1690×1355×850mm |

| | |
|--|--|
| | |
| | |

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
| | |

| | |
|--|--|
| | |
|--|--|

| | |
|--|---|
| | |
| | |
| | |
| | 6 |


Harbor Freight Winch

: GJYJ 2T



| | | | | | |
|--|----|----|----|-----|-----|
| | | | | | |
| | | | | | |
| | 1 | 65 | | | |
| | | | | | |
| | | | | | |
| | JK | JM | JM | JKL | JKD |
| | | | | | |
| | | | | | |

: GJYJ8T




W

80 k N

15 k

| | |
|--|----------------------|
| | |
| | 80 k N |
| | 6 x 37 2.6 mm |
| | 400 mm 900 mm |
| | 300 m |
| | YZR180L-6 |
| | 15 kW |
| | 960 r / |
| | 5.5 m / |
| | 1780 x 1580 x 930 mm |
| | 1600 kg |

: GJYJ 20T



200 kN

| | |
|--|----------------|
| | |
| | 200 kN 20 |
| | 24 - 32 mm |
| | 300 - 500 |
| | 6 - 12 m/ mi n |
| | 30 - 55 k W |

Windlass

: GJYJ 4T



| | |
|--|--------------------------|
| | |
| | 40 kN |
| | 16 mm |
| | 560 |
| | 70 120 |
| | 20 MPa |
| | 150 |
| | 500 mm × 326 mm × 245 mm |



Garl way Machinery

55

